



DODSON AUDITORIUM

TECHNICAL INFORMATION

W.L. Dodson Auditorium is one of East Texas' premier entertainment and cultural venues, proudly located on the Kilgore College campus. Since opening in 1952, the 1,420-seat auditorium has served as a centerpiece for campus life and community events, welcoming generations of students, families and visitors.

Throughout its history, Dodson Auditorium has provided the stage for some of Kilgore College's most cherished traditions, including commencement ceremonies and the world-famous Rangerette Revels. The venue has also hosted a wide variety of concerts, theatrical productions, distinguished speakers, educational programs and community celebrations. For more than 70 years, it has remained a gathering place where tradition, culture and entertainment come together for audiences across East Texas.





DODSON AUDITORIUM LOCATION



ABOUT W.L. DODSON AUDITORIUM

W.L. Dodson Auditorium is located on the main campus of Kilgore College in the heart of Northeast Texas.

Kilgore is conveniently situated approximately five miles south of Interstate 20, midway between Dallas, Texas, and Shreveport, Louisiana.

Visitors traveling by air may utilize the East Texas Regional Airport in Longview, located approximately 10 miles east of Kilgore.

Additional commercial air service is available through airports in Gregg County, Dallas and Shreveport.

To reach the Kilgore campus from Interstate 20, take U.S. Hwy. 259 South (Exit 589) and follow signs to Kilgore.

W.L. Dodson Auditorium is located on the college's main campus and is easily accessible from Broadway Boulevard and surrounding campus roadways.



DODSON AUDITORIUM BOOKING/CONTACT INFO

DODSON AUDITORIUM

901 Nolen Street
Kilgore, TX 75662

JASON BERGLUND

Dodson Manager
& Technical Director

jberglund@kilgore.edu
(903) 983-8635

BOOKING INFO:

Visit www.kilgore.edu/dodson for more information.



TECHNICAL SPECS



STAGE DIMENSIONS

Proscenium Width:	54'
Proscenium Height:	22' 10"
Stage Width:	45'
Stage Height:	31' 5"
Stage Depth:	29' 6"
Plaster line to back wall:	30'
Plaster line to front of stage:	44' 3"
Cyc to plaster line:	23'
Cyc to front of stage:	38'

DIMENSIONS OF WINGS

Right Wing:	15 x 30 x 20 ft.
Left Wing:	16 x 30 x 20 ft.

MAXIMUM SEATING CAPACITY

1,420

FIXED SEATING

Floor Level:	974
Balcony Level:	446

RIGGING

Our fly system is a hand winch, single purchase, counterweight system. Available battens in system (not including electric or curtains). Located in stage right wing. Ceiling is 35 feet high.

DRESSING ROOMS

1 Two-Story Women's Dressing Room

- 10 persons accommodated on the first floor level
- 20 persons accommodated on the second floor level

1 Two-Story Men's Dressing Room

- 10 persons accommodated on the first floor level
- 20 persons accommodated on the second floor level

All dressing rooms contain hot and cold water, toilets, lighted makeup mirrors, chairs, iron and ironing board, wardrobe racks, heating/cooling and monitor speakers for on-stage sound.

LOADING BAYS

Load-in doors: (2) 9'8" tall x 7'7" wide roll-up overhead doors directly onto stage (stage right at ground level and stage left with one foot step).



TECHNICAL SPECS

SOUND SYSTEM



HOUSE SOUND CONSOLE

- Yamaha TF5 Digital Mixing Console
- 32 mono inputs
- 4 stereo inputs
- 14 sub-group/aux busses



HOUSE MIX POSITION

- Center House Tech Booth



HOUSE SPEAKER SYSTEMS

- (2) EV-Innovation Clusters with dual TH-112 subs behind the clusters
- MONITOR SPEAKERS
- (4) EV-TX1122FM covering the stage
- (2) EV monitors in SR and SL wings



COMMUNICATION

WIRELESS CLEAR-COM SYSTEM

- 8 wireless headset units with belt packs
- Clear-Com Model DX-410

WIRED CLEAR-COM LOCATIONS

- 2 wired headset units in the Tech Booth
- 1 on stage left down-stage wall
- 2 at stage manager's rack (down stage right)
- 2 in Follow Spot Room



MICROPHONES

- 6 Shure SLX/2 SM58 wireless combo units
- 3 Shure Beta 58 vocal mics
- 2 Shure 849 condenser mics
- 1 shotgun mic
- DPA d:vote Core
- 8 Handheld X8 - Shure SLXD2+G57
- 8 Wireless X8 Shure SLXD1+G57



PLAYBACK AND RECORD

- Mac Pro with LG monitor
- Samsung Blu-ray Player

VIDEO SYSTEM



VIDEO / DATA PROJECTORS & SCREENS

- (2) Panasonic PT-MZ17KBU 16,500-lumen laser projectors projecting onto two side screens on either side of the stage
- 4K signal input with 16:9 aspect ratio
- Hookups to projectors are in the Tech Booth.
- Nothing else is prewired for FOH projection or any other configuration.

LIGHTING SYSTEM



LIGHTING SPECS

COMPONENT	SPECIFICATION
CONSOLES	Grand MA 2 Lite, Obsidian NX2
SYSTEM	Strand System
DIMMERS	120 theatrical dimming circuits
FOH POSITIONS	Two house left/right lighting booms



HOUSE LEFT/RIGHT BOOM

HOUSE LEFT	HOUSE RIGHT
26°	26°
26°	26°
36°	36°
36°	36°

Two booms located House Right and Left provide the auditorium with its FOH lighting.



LIGHTING INSTRUMENT INVENTORY

QTY	INSTRUMENT
45	ETC Source Four Parnell
10	ETC 750 Ellipsoidal 19°
8	ETC 750 Ellipsoidal 26°
4	ETC 750 Ellipsoidal 36°
7	6' ColourBlaze LED Light Bars (Edison Connector)
2	Altman Voyager Follow Spots

CURTAINS



STAGE DRAPERY

ITEM	DESCRIPTION	SIZE (W x H)
1 MAIN CURTAIN	Travel Hyacinth 25oz. Velour with 75% fullness.	32'W x 22'H
2 MAIN VALANCE	Hyacinth	64'W x 9'H
3 TRAVELLER/TEASER	Hyacinth 25oz. Velour with 75% fullness	20'W x 22'H
4 BORDERS	Black	(3)- 22'W x 9'H
5 LEGS		(2)- 14'W x 22'H
6 MID-STAGE TRAVELER	Black 25oz. Velour with 75% fullness	16'W x 22'H
7 UPSTAGE TRAVELER	Black 25oz. Velour with 75% fullness	16'W x 22'H